

# PERFORMANCE ANALYSIS OF WEB SERVERS

## *Apache and Microsoft IIS*

Andrew J. Kornecki, Nick Brixius  
Embry Riddle Aeronautical University, Daytona Beach, FL 32114  
Email: kornecka@erau.edu, brixiusn@erau.edu

Ozeas Vieira Santana Filho  
Senac University Center, Sao Paulo, Brasil, CEP 01222-903  
Email: ozeas@sp.senac.br

Keywords: Internet Services, Web Servers, Performance Analysis

Abstract: The Internet has become the leading means for people to get information and interact between organizations. Each year there is an increase of the numbers of Internet users. Organizations must be aware of the performance of their web servers to be able to accommodate this growing demand. Networks, connections, hardware, web servers and operating systems each have a role to play in this market, but the web server could be a bottleneck for the entire system. The goal of this research paper is to discuss the issues related to the performance analysis of web servers. The focus is on measurement technique as a solution to performance analysis. Also, the paper describes a practical method to compare two web servers.

## 1 INTRODUCTION

The World-Wide Web is one of the most used services of the Internet. Basically, the World-Wide Web is a client/server system that integrates diverse types of information on the global Internet and/or enterprise networks. Clients and servers on the Web communicate using the HyperText Transfer Protocol (HTTP), which is layered on the TCP/IP protocol. In this client/server system, the client is a Web Browser, such as Internet Explorer or any software that can make a HTTP request for a HTML (HyperText Markup Language) file and is able to show it graphically to the user. The Web Server software manages all the web server site files and responds to all requests made by web browsers.

Figure 1 shows a simplified one to one client/server environment for HTTP communication. In the real Internet, the connections are *n-to-n*, and servers can connect to other servers using Web services protocols. Also clients can connect directly with others clients, as a peer-to-peer network, to exchange files or for other types of data communication. Figure 1, however, represents the client/server HTTP communication, that it is the focus of this study.

Most studies of Web server performance consider only static Web content. A dedicated tool, *httpperf*,

for measuring HTTP performance and generating the client workload, was presented in (Titchkosky, 2003). That paper compared performance of various web servers. However, the Internet Information Server, one of the most used in the market, was not part of the testing suite. Several other papers (Prefect, 1996), (Banga, 1999), (Hu, 1999), (Barford, 2001) discuss measurement of web server performance.

The Standard Performance Evaluation Corporation (SPEC) is a non-profit corporation formed to establish, maintain and endorse a standardized set of relevant website benchmarks (SPECweb99, 1999). There are a great number of results using these benchmarks that can be accessed on SPEC site ([www.spec.org](http://www.spec.org)).

The objective of this project is to compare the performance of two widely used web servers available on the market. The specific goal of the experiment is to compare performance of two systems using the same platform, hardware and operating system. The component under study is the web server: either Apache Web Server or the Microsoft Internet Information Server. Data will be collected, and statistics and performance analysis techniques will be used to create this report.




Figure 1: Simplified Client/Server of HTTP communication.

## 2 TEST ENVIRONMENT

The system under test (SUT) consists of the Web Server and Web Browser. Two other components playing roles in the experiment are the operating system and the software that will collect the metrics. Since the tool selected to get the metrics also plays the role of a client through making requests to the server, a Web Browser is not necessary in the test. The operating system is Windows 2003 Enterprise Server, which was the latest release from the Microsoft at the time of the experiment.

To assure that the SUT will not interfere with any other software installed, and also to provide more controlled environment, the Microsoft Virtual PC has been used to create a virtual machine to run the tests. Due to comparative nature of the study the description of hardware environment is not critical. For the record, the experiment was run on a conventional computer (Pentium IV, 2.4Ghz, 768MB, Windows XP SP1 and 60GB hard disk).

The Microsoft Virtual PC runs: (a) the Microsoft Windows 2003 Server, (b) the Webbench, performance web tool for collecting data, and one of the Web Servers at a time: either (c1) Microsoft Internet Information Server 6.0 or the (c2) Apache HTTP Server Version 2.0.51.

The next sections describe the components of the SUT.

### 2.1 Apache HTTP Server V.2.0.51

The Apache project is an effort to develop and maintain an open-source HTTP server for various modern desktop and server operating systems, such as UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server which provides HTTP services in synchronization with the current HTTP standards. Apache is available at <http://httpd.apache.org/>

Apache has been the most popular web server on the Internet since April of 1996. The Netcraft Web Server Survey of October 2004 found that more than 67% of the web sites on the Internet are using Apache, thus making it more widely used than all other web servers combined. The Microsoft IIS holds over 21% of the web server market share.

### 2.2 Microsoft Internet Information Server 6.0

Internet Information Services (IIS) is a part of the Microsoft® Windows® Server 2003 family and attempts to provide an integrated, reliable, scalable, secure, and manageable Web server. The IIS is a tool for creating a communications platform of dynamic network applications. IIS 6.0 leverages the latest Web standards like Microsoft ASP.NET, XML, and Simple Object Access Protocol (SOAP) for the development, implementation, and management of Web applications. IIS 6.0 includes new features designed to help Web administrators improve performance, reliability, scalability, and security either on a single IIS server or on multiple servers.

The IIS 6.0 is integrated with the Windows 2003 Server Family. Windows Server 2003 includes functionality customers may need today from a Windows server operating system, such as security, reliability, availability, and scalability. In addition, Microsoft has improved and extended the Windows Server operating system to incorporate the benefits of Microsoft .NET for connecting information, people, systems, and devices. The Microsoft® Windows® Server is a retail Microsoft product.

### 2.3 Microsoft Virtual PC 2004

The focus of the study was to compare performance of selected servers rather than assess specific

A = Buffer Size (4096 or 8192)  
 B = Workload (Static or Dynamic)  
 C = Number of threads / Clients (1 or 2)  
 D = Memory (128 or 256)

	A - Buffer	B - Workload	C - Clients	D - Memory	AB	AC	AD	BC	BD	CD	ABC	ABD	ACD	BCD	ABCD	Request per second
1	-1	-1	-1	-1	1	1	1	1	1	1	-1	-1	-1	-1	1	<b>50240</b>
1	1	-1	-1	-1	-1	-1	-1	1	1	1	1	1	1	-1	-1	<b>55510</b>
1	-1	1	-1	-1	-1	1	1	-1	-1	1	1	1	-1	1	-1	<b>71250</b>
1	1	1	-1	-1	1	-1	-1	-1	-1	1	-1	-1	1	1	1	<b>73560</b>
1	-1	-1	1	-1	1	-1	1	-1	1	-1	1	-1	1	1	-1	<b>89790</b>
1	1	-1	1	-1	-1	1	-1	-1	1	-1	-1	1	-1	1	1	<b>102320</b>
1	-1	1	1	-1	-1	-1	1	1	-1	-1	-1	1	1	-1	-1	<b>125100</b>
1	1	1	1	-1	1	1	-1	1	-1	-1	1	-1	-1	-1	-1	<b>123910</b>
1	-1	-1	-1	1	1	1	-1	1	-1	-1	-1	1	1	1	-1	<b>58870</b>
1	1	-1	-1	1	-1	-1	1	1	-1	-1	1	-1	-1	1	1	<b>64080</b>
1	-1	1	-1	1	-1	1	-1	-1	1	-1	1	-1	1	-1	-1	<b>76150</b>
1	1	1	-1	1	1	-1	1	-1	1	-1	-1	1	-1	-1	-1	<b>77590</b>
1	-1	-1	1	1	1	-1	-1	-1	-1	1	1	1	-1	-1	-1	<b>95140</b>
1	1	-1	1	1	-1	1	1	-1	-1	1	-1	-1	1	-1	-1	<b>113940</b>
1	-1	1	1	1	-1	-1	-1	1	1	1	-1	-1	-1	1	-1	<b>138630</b>
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	<b>140320</b>
1456400	46060	196620	401900	73040	37560	17600	8220	58920	4700	20780	24100	-4200	10080	21240	-2580	
91025	2878,75	12289	25119	4665	-2348	1100	513,75	3557,5	293,75	1298,8	-1506	-263	630	1327,5	-161	effects
1,3E+10	1,3E+08	2E+09	1E+10	3,3E+08	9E+07	1,9E+07	4E+06	2E+08	1E+06	3E+07	4E+07	1E+06	6E+06	3E+07	4E+05	Variance
100	0,99007	18,042	75,38	2,48967	0,658	0,14466	0,0315	1,512	0,0103	0,2015	0,271	0,008	0,047	0,2105	0,003	

Figure 2: Table with detailed information about the 2<sup>k</sup> experimental design.

performance of each. Virtual environments impact each server in the same way and are thus appropriate for this comparison. With Microsoft® Virtual PC 2004, it is possible to create one or more virtual machines, each running its own operating system, on a single physical computer. The virtual machine emulates a standard x86-based computer, including all the basic hardware components except the processor. By using emulated hardware and the processor in the physical computer, each virtual machine works like a separate physical computer. Because each virtual machine has its own operating system, it is possible to run several different operating systems at the same time on a single computer. The Microsoft® Virtual PC 2004 is a retail Microsoft product.

### 2.4 WebBench 5.0

There are a number of Web server benchmarking programs available that can be used to obtain performance metrics. They differ in their ability to be configured by the user running the tests. Some are very flexible, such as the Webbench, Webstone, webmonitor or httpperf (Almeida, 1997), (Mosberger, 1998), (Nahum, 1999), and others are less flexible, such as the SPECweb99 that does not even allow the analyst to change the workload, as it is predefined in the standard (SPECweb99, 1999).

The WebBench tool, a licensed PC Magazine benchmark program developed by Veritest, has been used to collect the data. WebBench uses clients to

send requests to the server for static files placed on the server or for a combination of static files and dynamic executables that run producing the data the server returns to the client. During WebBench's test suite execution, the clients issue a combination of requests for static and dynamic data. These clients simulate Web browsers. When the server replies to a client request, the client records information, such as how long the server took and how much data it returned, and then sends a new request. When the test ends, WebBench calculates two overall server scores (number of requests per second and throughput in bytes per second) as well as individual client scores. The user can view all these results from the WebBench controller.

The link to the WebBench Web site is <http://www.veritest.com/benchmarks/>.

## 3 EXPERIMENT

In this project, the web servers were rated by these metrics:

- *Requests per Second*: the total number of successful requests divided by the amount of time in seconds that it took for the requests to complete.
- *Throughput*: how many bytes per second the server is providing to the clients.

It is necessary to identify factors that have an impact on the performance of web servers. Each factor can




Figure 3: Request/Second for Apache and IIS experiments.

assume multiple values, thus having multiple levels. Four factors were selected to run a  $2^k$  factorial experiment. The objective was to assess the factors and identify the important ones for doing the comparison of two web servers. The four factors are:

- Quantity of *Memory* of the system under test (128 or 256 MB).
- Number of *Clients* (Threads) that will make the requests to the Web Server (1 or 10)
- Receive *Buffer Size* (4096 or 8192 bytes)
- *Workload* (Static or Dynamic)

The last factor represents what is considered to be the system workload. While running a Web server there are two types of workload:

- *Static* Web site: Requests for static HTML pages that contain only html commands and graphic files. Typically, this load has a low impact on Web server components. Only requests for very large files are disk and network intensive.
- *Dynamic* Web site: Requests for HTML pages where the content is dynamically generated on the server and can have back-end server interactions. Typically, these requests are CPU and/or disk intensive.

It is possible to modify or create the workload to tailor it to be more realistic and resemble a specific system. But here the tools were used to generate general workload that simulates the typical scenario of web requests.

The WebBench allows the analyst to change the percentages of each type of request. Also, the dynamic workload is composed of a percentage of CGI calls and the remaining requests are static.

The experimental design was used to reduce the amount of effort necessary to collect all the data (Lilja, 2000). The  $n2^m$  fractional factorial design was used to find the dominant factors that have the most impact in the performance (necessary to reduce the number of experiments). Experiments were performed for each Web Server to get the metrics: *requests per second* and *throughput*. The mean, standard deviation and confidence interval of the resulting experiments were calculated. And finally, the metrics were compared for the two alternatives.

The above identified steps, factors and workload constituted a base for the  $2^4$  experimental designs. The four factors, with their respective two levels were:

- A = Buffer Size (4096 or 8192)
- B = Workload (Static or Dynamic)
- C = Number of threads / Clients (1 or 2)

D = Memory (128 or 256 MB)

The reason for using relatively low memory values was to stress the web server. For instance, there is no impact on performance of 500MB server while running it with 2 or 4 GB of memory. Each of the 16 experiments was run for two minutes with data collected by WebBench. The computed effects of each factor were:

- Buffer: 1 %
- Workload: 18%
- Number of Clients: 75.5%
- Memory: 2.5%

The effects of factor interactions were very low, all less than 1%, except the interaction of *Workload* and *Number of Clients*, which was 1.5%. For example, a table with detailed information on one of the metrics of the  $2^k$  experimental design is shown in Figure 2.

The above results led to using only the *Workload* and *Number of Clients* factors to do the detailed experiments and to compare the Web Servers.

Twelve experiments were conducted using the combinations of the two levels of *Workload* factor (Static, Dynamic) and six levels for *Clients* factor (1, 2, 4, 8, 16, and 32). Each experiment was repeated three times. The total of 36 suites of experiments were run for 30 seconds for each server in

WebBench. The measurements of *requests per second* and *throughput* for each server were used for comparison. Figures 3 and 4 show the results.

From the corresponding measurements made on the two servers, a confidence interval for the mean of the individual differences was constructed. If the confidence interval for the differences does not include zero, then the sign of the mean difference indicates which system is better. If the confidence interval includes zero, the difference is not significant (Lilja, 2000). The results are shown below.

For the difference of *Request per Second* metric:

- Difference Mean: 29,559.7
- Difference Standard Deviation: 25,011.9
- 95% confidence interval for mean difference is (22,702.3, 36,417.1).

For the differences of *Throughput* metric:

- Difference Mean: 168,639,315.1
- Difference Standard Deviation: 140,193,508.1
- 95% confidence interval for mean difference of is (130,202,929.1, 207,075,701.1).

The 95% confidence interval for mean difference of both metrics does not include zero. Based on this analysis, IIS has significantly higher performance




Figure 4: Throughput for Apache and IIS experiments.

metrics than Apache Server.

The result of this analysis was expected, given inspection of the experimental results. Reviewing the results of individual runs, one can see that the IIS has higher values of the measured metrics than the Apache. But it is interesting to see that the difference of performance between the two servers start to diverge as the number of clients is increasing (right side of Figures 3 and 4). For less than four clients, both servers have similar performance.

## 4 CONCLUSION

To manage the relatively short time allocated for the project, the experiment was conducted in two phases. In the first phase, all four factors were used, each on two levels. The objective was to determine the effects of each factor and thus identify dominant factors. In the second phase, the experiment was performed using the dominant factors having critical effect on the performance of the system under test. The second phase experiment used an increased number of levels on a reduced number of factors.

It was clear that Internet Information Server has a better performance than Apache Server on dynamic content. One possible explanation is that dynamic content requires more interactions with the operating system and evidently IIS is much better integrated with Windows 2003 Server than an external product such as Apache.

Although the results demonstrate that IIS is better than Apache Server (at least running in a Windows environment) under the heavier workload used in this comparison, the results for a smaller number of clients (1 to 3) illustrate better Apache performance. Thus, for a web site that has a lower level of traffic, the Apache Server seems to be a good alternative.

Also, looking at graphics showing the throughput and requests per second, and comparing their respective variances, it is easy to notice that the IIS is more consistent than Apache. So IIS seem to be better suited for systems requiring determinism and predictability. As potential extensions of this study one could consider similar experiments with Linux/UNIX platforms rather than Windows to show the comparison from a different perspective. The Webbench used in the study supports only CGI. The study extension may also include use of ASP, Servlets, and PHP as the possible dynamic loads.

## REFERENCES

- Almeida J.M., Almeida V., and Yates D.J., Measuring the Behavior of a World-wide Web Server, Proceedings of the Seventh Conference on High Performance Networking, pp. 57-72, White Plains, NY, 1997
- Banga G. and Druschel P., Measuring the Capacity of a Web Server under Realistic Loads. World Wide Web Journal (Special Issue on World Wide Web Characterization and Performance Evaluation), 1999. (<http://citeseer.ist.psu.edu/banga99measuring.html>)
- Barford P.R., Modeling, Measurement And Performance Of World Wide Web Transactions, PhD Thesis. 2001
- Hu Y., Nanda A., and Yang Q. Measurement, Analysis and Performance Improvement of the ApacheWeb Server. A preliminary work has been presented at the 18th IEEE International Performance, Computing, and Communications Conference (IPCCC'99) February 10-12, 1999 Phoenix/Scottsdale, Arizona
- Lilja D.J. Measuring Computer Performance, A Practitioner's Guide. Cambridge University Press, 2000
- Mosberger D. and Jin T., httpperf - A Tool for Measuring Web Server Performance, HP - Internet Systems and Applications Laboratory. March, 1998
- Nahum E., Barzilai T., and Kandlur D., Performance Issues in WWW Servers. IBM T.J. Watson Research Center, 1999 (<http://citeseer.ist.psu.edu/565918.html>)
- Prefect F., Doan L., Gold S., Wicki T., and Wilcke W., Performance Limiting Factors in Http (Web) Server Operations. Proceedings of the COMPCON Spring'96.
- SPECweb99 Benchmark - White Paper. SPEC Standard Performance Evaluation Corporation, July, 2000 (<http://www.spec.org/web99>)
- Titchkosky L., Arlitt M. and Williamson C., Performance Benchmarking of Dynamic Web Technologies. Proceedings of the 11TH IEEE/ACM International Symposium on Modeling, Analysis and Simulation of Computer Telecommunications Systems (MASCOTS'03)